

=> fil hcaplus
FILE 'HCAPLUS' ENTERED AT 09:59:13 ON 17 SEP 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)


Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 17 Sep 2003 VOL 139 ISS 12
FILE LAST UPDATED: 16 Sep 2003 (20030916/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>
=>

=> d stat que 19
L5 STR



NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 29

STEREO ATTRIBUTES: NONE
L8 16 SEA FILE=REGISTRY SSS FUL L5
L9 1 SEA FILE=HCAPLUS ABB=ON PLU=ON L8

=>
=>



=> d ibib abs hitrn 19 1

L9 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 2002:90007 HCAPLUS
 DOCUMENT NUMBER: 136:151439
 TITLE: Preparation of novel peptides as NS3-serine protease
 inhibitors of hepatitis C virus
 INVENTOR(S): Saksena, Anil K.; Girijavallabhan, Viyyoor Moopil;
 Bogen, Stephane L.; Lovey, Raymond G.; Jao, Edwin E.;
 Bennett, Frank; McCormick, Jinping L.; Wang, Haiyan;
 Pike, Russell E.; Liu, Yi-Tsung; Chan, Tin-Yau; Zhu,
 Zhaoning; Arasappan, Ashok; Chen, Kevin X.;
 Venkatraman, Srikanth; Parekh, Tejal N.; Pinto,
 Patrick A.; Santhanam, Bama; Njoroge, F. George;
 Ganguly, Ashit K.; Vaccaro, Henry A.; Kemp, Scott
 Jeffrey; Levy, Odile Esther; Lim-Wilby, Marguerita;
 Tamura, Susan Y.
 PATENT ASSIGNEE(S): Schering Corporation, USA; Corvas International, Inc.
 SOURCE: PCT Int. Appl., 188 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002008187	A1	20020131	WO 2001-US22813	20010719
WO 2002008187	C2	20030103		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LU, LV, MA, MD, MG, MK, MN, MX, MZ, NO, NZ, PL, PT, RO, RU, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UZ, VN, YU, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
US 2002160962	A1	20021031	US 2001-909012	20010719
EP 1303487	A1	20030423	EP 2001-959041	20010719
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
BR 2001012666	A	20030610	BR 2001-12666	20010719
NO 2003000271	A	20030318	NO 2003-271	20030120
PRIORITY APPLN. INFO.:			US 2000-220107P	P 20000721
			WO 2001-US22813	W 20010719

OTHER SOURCE(S): MARPAT 136:151439

GI



AB Novel peptides I [G, J, Y = independently H, alkyl, alkyl-aryl, heteroalkyl, heteroaryl, aryl-heteroaryl, alkyl-heteroaryl, cycloalkyl, alkoxy, alkyl-aryloxy, aryloxy, heteroaryloxy, heterocycloalkyloxy, cycloalkyloxy, alkylamino, arylamino, alkyl-aryl amino, arylamino, heteroaryl amino, cycloalkylamino, and heterocycloalkylamino; Z = O, N, CH; W = null, CO, CS, SO₂; R1 = COR5, B(OR)2; R5 = H, OH, OR8, NR9R10, CF3, C2F5, C3F7, CF2R6, R6, COR7; R7 = H, OH, OR8, CHR9R10, NR9R10; R6, R8-10 = independently H, alkyl, aryl, heteroalkyl, cycloalkyl, arylalkyl, peptide deriv., etc.; R, R2-4 = independently H, alkyl, alkenyl, cycloalkyl, heterocycloalkyl, alkoxy, aryloxy, alkylthio, arylthio, amino, amido, ester, carboxylic acid, carbamate, etc.] and their pharmaceutically salts which have hepatitis C virus (HCV) protease inhibitory activity were prep'd. via soln. or solid-phase peptide coupling methods. Thus, peptide II was prep'd. using solid-phase methods and showed a Ki value in the range of 0-100 nM for HCV protease inhibitory activity. This invention also discloses pharmaceutical compns. comprising such compds. as well as methods of using them to treat disorders assoc'd. with the HCV protease.

IT 393580-31-9P 393580-32-0P 393580-33-1P

393580-34-2P 393580-35-3P 393580-36-4P

393580-53-5P 393580-54-6P 393580-55-7P

393580-56-8P 393580-79-5P 393582-29-1P

393582-31-5P 393582-32-6P 393817-40-8P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of novel peptides as NS3-serine protease inhibitors of hepatitis C virus)

IT 393581-59-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(prepn. of novel peptides as NS3-serine protease inhibitors of hepatitis C virus)

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>

=>

=> fil caold
FILE 'CAOLD' ENTERED AT 09:59:35 ON 17 SEP 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966
FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

This file supports REG1stRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=>
=>
=> s 18
L10 0 L8
=>
=>

=> fil reg
FILE 'REGISTRY' ENTERED AT 09:59:40 ON 17 SEP 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 16 SEP 2003 HIGHEST RN 586945-00-8
DICTIONARY FILE UPDATES: 16 SEP 2003 HIGHEST RN 586945-00-8

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2003

Please note that search-term pricing does apply when conducting SmartSELECT searches.


Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details:
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=>
=>
=> d ide can 18 tot
L8 ANSWER 1 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
RN 393817-40-8 REGISTRY
CN Glycine, 2-cyclohexyl-N-[(2-methylpropoxy)carbonyl]glycyl-3-(1,3-dioxan-2-yl)alanyl-3-amino-2-oxohexanoylglycyl-2-phenyl-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)

FS 3D CONCORD; PROTEIN SEQUENCE
 MF C40 H61 N5 O11
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


1 REFERENCES IN FILE CA (1937 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439

L8 ANSWER 2 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 393582-32-6 REGISTRY
 CN Glycine, (2S)-N-[(2-methylpropoxy)carbonyl]-2-phenylglycyl-3-(1,3-dioxan-2-yl)-L-alanyl-3-amino-2-oxohexanoylglycyl-2-phenyl-, (2S)- (9CI) (CA INDEX NAME)
 FS PROTEIN SEQUENCE; STEREOSEARCH
 MF C36 H47 N5 O11
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


1 REFERENCES IN FILE CA (1937 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439

L8 ANSWER 3 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 393582-31-5 REGISTRY
 CN Glycine, (2S)-N-[(2-methylpropoxy)carbonyl]-2-phenylglycyl-3-(1,3-dioxolan-2-yl)-L-alanyl-3-amino-2-oxohexanoylglycyl-2-phenyl-, (2S)- (9CI) (CA INDEX NAME)
 FS PROTEIN SEQUENCE; STEREOSEARCH
 MF C35 H45 N5 O11
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


1 REFERENCES IN FILE CA (1937 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439

L8 ANSWER 4 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 393582-29-1 REGISTRY
 CN Glycine, (2S)-N-[(2-methylpropoxy)carbonyl]-2-phenylglycyl-3-(1,3-dithiolan-2-yl)-L-alanyl-3-amino-2-oxohexanoylglycyl-2-phenyl-, (2S)- (9CI) (CA INDEX NAME)
 FS PROTEIN SEQUENCE; STEREOSEARCH
 MF C35 H45 N5 O9 S2
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


1 REFERENCES IN FILE CA (1937 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439

L8 ANSWER 5 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 393581-59-4 REGISTRY
 CN Glycine, (2S)-2-cyclohexyl-N-[(1,1-dimethylethoxy)carbonyl]glycyl-1-[(phenylmethoxy)carbonyl]-L-histidyl-3-amino-2-oxohexanoylglycyl-2-phenyl-phenylmethyl ester, (2S)- (9CI) (CA INDEX NAME)
 FS PROTEIN SEQUENCE; STEREOSEARCH
 MF C50 H61 N7 O11
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1937 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439

L8 ANSWER 6 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 393580-79-5 REGISTRY
 CN Glycine, 2-cyclohexyl-N-[(2-methylpropoxy)carbonyl]glycyl-.alpha.-
 aminooxiranepropanoyl-3-amino-2-oxohexanoylglycyl-2-phenyl-,
 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)
 FS 3D CONCORD; PROTEIN SEQUENCE
 MF C38 H57 N5 O10
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1937 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439

L8 ANSWER 7 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 393580-56-8 REGISTRY
 CN Glycine, 2-cyclohexyl-N-[(2-methylpropoxy)carbonyl]glycyl-3-(1,3-dioxolan-2-yl)alanyl-3-amino-2-oxohexanoylglycyl-2-phenyl- (9CI) (CA INDEX NAME)
 FS 3D CONCORD; PROTEIN SEQUENCE
 MF C35 H51 N5 O11
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1937 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439

L8 ANSWER 8 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 393580-55-7 REGISTRY
 CN Glycine, 2-cyclohexyl-N-[(2-methylpropoxy)carbonyl]glycyl-3-(1,3-dioxolan-2-yl)alanyl-3-amino-2-oxohexanoylglycyl-2-phenyl-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)
 FS 3D CONCORD; PROTEIN SEQUENCE
 MF C39 H59 N5 O11
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1937 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439

L8 ANSWER 9 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 393580-54-6 REGISTRY
 CN Glycine, 2-cyclohexyl-N-[(2-methylpropoxy)carbonyl]glycyl-3-(1,3-dioxan-2-yl)alanyl-3-amino-2-oxohexanoylglycyl-2-phenyl- (9CI) (CA INDEX NAME)
 FS 3D CONCORD; PROTEIN SEQUENCE
 MF C36 H53 N5 O11
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1937 TO DATE)
1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439

L8 ANSWER 10 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 393580-53-5 REGISTRY
 CN Glycine, 2-cyclohexyl-N-[(2-methylpropoxy)carbonyl]glycyl-3-(1,5-dihydro-2,4-benzodithiepin-3-yl)alanyl-3-amino-2-oxohexanoylglycyl-2-phenyl- (9CI) (CA INDEX NAME)
 FS 3D CONCORD; PROTEIN SEQUENCE
 MF C41 H55 N5 O9 S2
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL


RELATED SEQUENCES AVAILABLE WITH SEQLINK

1 REFERENCES IN FILE CA (1937 TO DATE)
1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439

L8 ANSWER 11 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 393580-36-4 REGISTRY
 CN Glycine, 2-cyclohexyl-N-[(2-methylpropoxy)carbonyl]glycyl-3-(1,3-dithiolan-2-yl)alanyl-3-amino-2-oxohexanoylglycyl-2-phenyl- (9CI) (CA INDEX NAME)
 FS 3D CONCORD; PROTEIN SEQUENCE
 MF C35 H51 N5 O9 S2
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1937 TO DATE)
1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439

L8 ANSWER 12 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 393580-35-3 REGISTRY
 CN Glycine, 2-cyclohexyl-N-[(2-methylpropoxy)carbonyl]glycyl-3-(1,3-dithian-2-yl)alanyl-3-amino-2-oxohexanoylglycyl-2-phenyl-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)
 FS 3D CONCORD; PROTEIN SEQUENCE
 MF C40 H61 N5 O9 S2
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1937 TO DATE)
1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439

L8 ANSWER 13 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 393580-34-2 REGISTRY
 CN Glycine, 2-cyclohexyl-N-[(2-methylpropoxy)carbonyl]glycyl-3-(1,3-dithian-2-yl)alanyl-3-amino-2-oxohexanoylglycyl-2-phenyl- (9CI) (CA INDEX NAME)
 FS 3D CONCORD; PROTEIN SEQUENCE
 MF C36 H53 N5 O9 S2
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1937 TO DATE)
1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439

L8 ANSWER 14 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 393580-33-1 REGISTRY
 CN Glycine, 2-cyclohexyl-N-[(2-methylpropoxy)carbonyl]glycyl-3-(1,3-dithiolan-2-yl)alanyl-3-amino-2-oxohexanoylglycyl-2-phenyl-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)
 FS 3D CONCORD; PROTEIN SEQUENCE
 MF C39 H59 N5 O9 S2
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1937 TO DATE)
1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439

L8 ANSWER 15 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 393580-32-0 REGISTRY
 CN Glycine, 2-cyclohexyl-N-[(2-methylpropoxy)carbonyl]glycyl-3-(1-oxido-1,3-dithian-2-yl)alanyl-3-amino-2-oxohexanoylglycyl-2-phenyl-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)
 FS 3D CONCORD; PROTEIN SEQUENCE
 MF C40 H61 N5 O10 S2
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


1 REFERENCES IN FILE CA (1937 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439

L8 ANSWER 16 OF 16 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 393580-31-9 REGISTRY
 CN Glycine, (2S)-2-cyclohexyl-N-[(1,1-dimethylethoxy)carbonyl]glycyl-L-histidyl-3-amino-2-oxohexanoylglycyl-2-phenyl-, (2S)- (9CI) (CA INDEX NAME)
 FS PROTEIN SEQUENCE; STEREOSEARCH
 MF C35 H49 N7 O9
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1937 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1937 TO DATE)

REFERENCE 1: 136:151439



=> d hitstr 3

L6 ANSWER 3 OF 36 CAPLUS COPYRIGHT 2003 ACS on STN


IT 261787-68-2P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PNU (Preparation, unclassified); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (design, synthesis and SAR of arginine aldehyde factor Xa inhibitors based on the Arg-Gly-Arg tripeptide sequence)

RN 261787-68-2 CAPLUS

CN Glycinamide, N2-[[[phenylmethyl)amino]carbonyl]-D-arginyl-N-[(1S)-4-[(aminoiminomethyl)amino]-1-formylbutyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



=> d bib 2,3

L6 ANSWER 2 OF 36 CAPLUS COPYRIGHT 2003 ACS on STN

AN 2000:118433 CAPLUS

DN 132:289738

TI Isocyanate-Specific Hemoglobin Adduct in Rats Exposed to 4,4'-Methylenediphenyl Diisocyanate

AU Sabbioni, Gabriele; Hartley, Renate; Henschler, Dietrich; Hoellrigl-Rosta, Andreas; Koeber, Robert; Schneider, Siegfried

CS Walther-Straub-Institut fuer Pharmakologie und Toxikologie, Ludwig-Maximilians-Universitaet Muenchen, Munich, D-80336, Germany

SO Chemical Research in Toxicology (2000), 13(2), 82-89
CODEN: CRTOEC; ISSN: 0893-228X

PB American Chemical Society

DT Journal

LA English

RE.CNT 47 THERE ARE 47 CITED REFERENCES AVAILABLE FOR THIS RECORD

22/09/2003 16:04 Print selected from Online session


ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 3 OF 36 CAPLUS COPYRIGHT 2003 ACS on STN
AN 2000:30818 CAPLUS
DN 132:231498
TI Design, synthesis and structure-activity relationship of a series of arginine aldehyde factor Xa inhibitors. Part 1: Structures based on the (D)-Arg-Gly-Arg tripeptide sequence
AU Marlowe, Charles K.; Sinha, Uma; Gunn, Alice C.; Scarborough, Robert M.
CS COR Therapeutics, Inc., South San Francisco, CA, 94080, USA
SO Bioorganic & Medicinal Chemistry Letters (2000), 10(1), 13-16
CODEN: BMCLE8; ISSN: 0960-894X
PB Elsevier Science Ltd.
DT Journal
LA English
RE.CNT 20 THERE ARE 20 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d hitstr 4

L6 ANSWER 4 OF 36 CAPLUS COPYRIGHT 2003 ACS on STN
IT 256931-74-5P
RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
(design and synthesis of novel Src homol.-2 domain inhibitors)
RN 256931-74-5 CAPLUS
CN L-Proline, N-[[[(1S)-1-carboxy-2-phenylethyl]amino]carbonyl]-O-phosphono-L-tyrosylglycyl-L-phenylalanyl-L-phenylalanyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



=> d hitstr


L6 ANSWER 1 OF 36 CAPLUS COPYRIGHT 2003 ACS on STN
IT 292150-24-4P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of dimeric ulosonic acids as antiviral agents and inhibitors of neuraminidase)
RN 292150-24-4 CAPLUS
CN D-glycero-D-galacto-Non-2-enonic acid, 5-(acetylamino)-4-

22/09/2003 16:04 Print selected from Online session


[(aminoiminomethyl)amino]-2,6-anhydro-3,4,5-trideoxy-, 7,7'-diester with
1,1'-[1,6-hexanediylylbis(iminocarbonyl)]bis[glycylglycyl-N-[6-
(carboxyamino)hexyl]glycinamide] (9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 1-A



PAGE 1-B



PAGE 1-C



=> d hitstr 7

L6 ANSWER 7 OF 36 CAPLUS COPYRIGHT 2003 ACS on STN

IT 210841-60-4B


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(prepn. of chloroisocyanatobenzene adducts with amino acids)

RN 210841-60-4 CAPLUS

CN Glycine, N-[(4-chlorophenyl)amino]carbonyl-L-valylglycyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



=> d bib 7

L6 ANSWER 7 OF 36 CAPLUS COPYRIGHT 2003 ACS on STN
AN 1998:488527 CAPLUS

DN 129:149212

TI Synthesis and spectroscopic characterization of 4-chlorophenyl isocyanate (1-chloro-4-isocyanatobenzene) adducts with amino acids as potential dosimeters for the biomonitoring of isocyanate exposure

AU Moeller, Marianne; Henschler, Dietrich; Sabbioni, Gabriele

CS Institut Pharmakologie Toxikologie, Wuerzburg, D-97078, Germany

SO Helvetica Chimica Acta (1998), 81(7), 1254-1263

CODEN: HCACAV; ISSN: 0018-019X

PB Verlag Helvetica Chimica Acta AG

DT Journal

LA English

=> d hitstr 8


L6 ANSWER 8 OF 36 CAPLUS COPYRIGHT 2003 ACS on STN
IT 156989-86-5P

RL: IMF (Industrial manufacture); MOA (Modifier or additive use); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses) (liq. detergents contg. proteolytic enzyme, peptide aldehyde and sources of boric acid)

RN 156989-86-5 CAPLUS

CN L-Alaninamide, N-[(methylamino)carbonyl]-L-phenylalanylglycyl-N-[(1S)-1-formyl-3-methylbutyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 204864-70-0P


RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)

(peptide aldehyde precursor; liq. detergents contg. proteolytic enzyme, peptide aldehyde and sources of boric acid)

RN 204864-70-0 CAPLUS

CN L-Alaninamide, N-[(methylamino)carbonyl]-L-phenylalanylglycyl-N-[(1S)-1-(hydroxymethyl)-3-methylbutyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



=> did bib 8

922227 DID

2207 DIDDS

923973 DID

(DID OR DIDDS)

163 BIB

34 BIBS

195 BIB

(BIB OR BIBS)

2423092 8

L7 0 DID BIB 8

(DID(W)BIB(W) 8)

=> d 16 hitstr 9

L6 ANSWER 9 OF 36 CAPLUS COPYRIGHT 2003 ACS on STN

IT 156989-86-5P


22/09/2003 16:04 Print selected from Online session

RL: IMF (Industrial manufacture); MOA (Modifier or additive use); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses) (liq. laundry detergent compns. contg. proteolytic enzyme and protease inhibitors such as proteins, peptides, and peptide derivs.)

RN 156989-86-5 CAPLUS

CN L-Alaninamide, N-[(methylamino)carbonyl]-L-phenylalanylglycyl-N-[(1S)-1-formyl-3-methylbutyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




IT 204864-70-0P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
(protease inhibitor precursor; liq. laundry detergent compns. contg. proteolytic enzyme and protease inhibitors such as proteins, peptides, and peptide derivs.)

RN 204864-70-0 CAPLUS

CN L-Alaninamide, N-[(methylamino)carbonyl]-L-phenylalanylglycyl-N-[(1S)-1-(hydroxymethyl)-3-methylbutyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



=> d bib 8,9

L7 HAS NO ANSWERS

L7 0 SEA FILE=CAPLUS ABB=ON PLU=ON DID BIB 8

=> d 16 bib 8,9

L6 ANSWER 8 OF 36 CAPLUS COPYRIGHT 2003 ACS on STN
AN 1998:210832 CAPLUS
DN 128:258745
TI Liquid detergents containing proteolytic enzyme, peptide aldehyde and a source of boric acid
IN Mciver, John Mcmillan; Huber, Alan Carl; McKillop, Kirsten Louise; Smith, Laurence Anthony
PA Procter & Gamble Co., USA; Mciver, John Mcmillan; Huber, Alan Carl; McKillop, Kirsten Louise; Smith, Laurence Anthony
SO PCT Int. Appl., 42 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9813462	A1	19980402	WO 1997-US16626	19970919 <--
	W: BR, CA, CN, JP, MX, US				
	RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	EP 929636	A1	19990721	EP 1997-941697	19970919 <--
	EP 929636	B1	20021204		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, FI				
	BR 9712115	A	19990831	BR 1997-12115	19970919 <--
	CN 1238002	A	19991208	CN 1997-199887	19970919 <--
	JP 2000506933	T2	20000606	JP 1998-515732	19970919 <--
	AT 229066	E	20021215	AT 1997-941697	19970919
PRAI	US 1996-26647P	P	19960924		
	WO 1997-US16626	W	19970919		
OS	MARPAT	128:258745			

RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 9 OF 36 CAPLUS COPYRIGHT 2003 ACS on STN
AN 1998:210831 CAPLUS
DN 128:258732
TI Liquid laundry detergent compositions containing proteolytic enzyme and protease inhibitors
IN Mciver, John Mcmillan; Huber, Alan Carl; Saunders, Charles Winston; Smith, Laurence Anthony
PA Procter & Gamble Co., USA; Mciver, John Mcmillan; Huber, Alan Carl; Saunders, Charles Winston; Smith, Laurence Anthony
SO PCT Int. Appl., 48 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9813461	A1	19980402	WO 1997-US16624	19970919 <--
	W: BR, CA, CN, JP, MX, US				
	RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	EP 929642	A1	19990721	EP 1997-943377	19970919 <--
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, FI				
	BR 9712114	A	19990831	BR 1997-12114	19970919 <--
	CN 1238003	A	19991208	CN 1997-199888	19970919 <--
	JP 2000506932	T2	20000606	JP 1998-515731	19970919 <--
	US 6180586	B1	20010130	US 1999-147984	19990324